Issue Date: 08.30.2019

| Trade Name :   | MgF2 (Magnesium fluoride)   |
|----------------|---|
| Manufacturer : | SUNDA OPTICAL MATERIAL CO., LTD.  |
| Tel:           | +886-6-2892278  |
| Fax :          | +886-6-2892267  |
| Add. :         | No. 2-2, Ln. 11, Sec. 3, Dongmen Rd., East Dist., Tainan City 701, Taiwan |
|                | (R.O.C.)  |
| CAS NO :       | 7783-40-6   |

### 1. Product and Company Identification

### 2. Hazard Identification

Hazard statements: Causes serious eye irritation, may cause respiratory irritation, causes skin irritation

Skin Corrosion/irritation: Category 2

Serious Eye damage/ Eye irritation: Category 2

Specific target organ toxicity( single exposure): Category 3

Target Organs- Respiratory system

Signal :



### 3. Composition/Information on Ingredients

| 元素雜質分                         | 分析 (主含    | 量 MgF2:>9                | 9.99%),   |  |
|-------------------------------|-----------|--------------------------|-----------|--|
| 分析元素↔                         | 结果不大於(%)。 | 分析元素↩                    | 结果不大於(%)。 |  |
| Fe₽                           | 0.0003+2  | Cu <sup>43</sup>         | 0.0002*   |  |
| Ni                            | 0.0001*   | Co                       | 0.0002+2  |  |
| Cr                            | 0.0002*   | <b>Pb</b> ₊ <sup>2</sup> | 0.0003.   |  |
| 該產品為無色透明晶體顆粒,系無毒、無害、無爆的安全產品。。 |           |                          |           |  |

### 4. First-aid Measures

Inhalation : Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately if symptoms occur.

Skin Contact : Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

Eye Contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Ingestion : Do not induce vomiting. Obtain medical attention.

Most important symptoms and effects : Causes serious eye irritation and skin irritation.

### 5. Fire-fighting Measures

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Protecting equipment : Water self contained breathing apparatus for fire fighting if necessary.

Precautions for firefighters : As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. Accidental Release Measures

Personal Precautions : Avoid dust formation. Avoid breathing vapors, mist or gas.

Environmental Precautions : Do not let product drains.

Methods for Containment and Clean Up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

### 7. Handling and Storage

Handling: Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Avoid breathing dust. Minimize dust generation and accumulation. Wash hands before breaks and immediately after handling the product.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure Controls / Personal Protection

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate, use

type N95 or type P1 respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH or CEN.

Protection of hands: The selected protective gloves have to satisfy the specifications of EU

Directive 89/686/EEC and the standard EN 374 derived from it. Handle with gloves.

Eye protection: Use safety glasses.

Body protection: Use protective clothing.

### 9. Physical and Chemical Properties

| Physical state : Colorless crystalline solid     | Density : 3.18 g/cm <sup>3</sup> |  |  |
|--|----------------------------------|--|--|
| Appearance : Colorless and transparent           | Odor : Odorless                  |  |  |
| Melting point/range : 1255°C                     | Boiling point/range : 2260 °C    |  |  |
| Solubility : Insoluble in water, reacts with HF. | Flash point : N/A                |  |  |
| Explosive limits : N/A                           | Test method N/A                  |  |  |

### **10.Stability and Reactivity**

Reactive hazard: Oxidizing agents

Stability: Stable under normal conditions.

Conditions to avoid: Avoid dust formation. Incompatible products.

### **11. Toxicological Information**

Acute toxicity

Irritation: Irritating to eyes, respiratory system and skin.

### **12. Ecological Information**

Eco-toxicity effects : N/A

### $\pm \Xi \cdot \mathbf{Disposal}$ Considerations

Waste disposal methods : Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### **14. Transport Information**

Transport Information : Not regulated

### 15. Regulations

### 16. Other Information

| References  | 1. GHS Web.: http://www.ghs.url.tw/train/train6th.pdf                          |
|-------------|--|
|             | 2. HSDB DBMS   |
|             | 3. OHS MSDS DBMS   |
|             | 4. ChemWatch DBMS  |
| Prepared By | Manufacturer : SUNDA OPTICAL MATERIAL Co., LTD.                                |
|             | Add: No. 2-2, Ln. 11, Sec. 3, Dongmen Rd., East Dist., Tainan City 701, Taiwan |
|             | (R.O.C.)   |
|             | Tel: +886-6-2892278  |
| Checked By  | Kelvin Chen  |
| Creation    | 08.30.2019   |
| date        |  |